

Infant Grow+™

Infant Formula Milk Powder with Iron

Iron-fortified formula for full-term infants 0–12 months.



PRODUCT FEATURES:

- Milk-based infant formula inspired by mother’s breast milk.
- Contains prebiotic ingredients, galactooligosaccharides (GOS) to support the growth of beneficial gut bacteria in the colon, which can help stimulate the immune function, inhibit the growth of harmful bacteria and increase absorption of essential nutrients and syntheses of vitamins.
- Contains Arachidonic Acid (ARA) which is important for proper brain development for infants and growth of skeletal muscle tissue and aids in neurological development.
- Contains Docosahexaenoic Acid (DHA) which is essential for the growth and functional development of the brain in infants and healthy visual acuity.
- Contains Nucleotides to a level that is similar to that found in breast milk which aids on the development of intestinal system and the proliferation of intestinal epithelial cell which increases probiotic bacteria in the intestinal tract. Nucleotides also has the benefit effect on the development and maintenance of the immune system.

NUTRITIONAL FACTS

Nutrients

(Normal Dilution); Per 100 Calories (5fl oz.)

PROTEIN.....g.....	2	WATER.....g.....	133
FAT.....g.....	5	LINOLEIC ACID.....mg.....	1004
CARBOHYRATE.....g.....	11		

Vitamins

A.....IU.....	516	NIACIN.....mcg.....	898
D.....IU.....	70	FOLIC ACID (FOLACIN).....mcg.....	25
E.....IU.....	3	PANTOTHENIC ACID.....mcg.....	884
K.....mcg.....	13	BIOTIN.....mcg.....	5
THIAMIN (B1).....mcg.....	130	C (ASCORBIC ACID).....mg.....	12
RIBOFLAVIN (B2).....mcg.....	278	CHOLINE.....mg.....	31
B6.....mcg.....	84	INOSITOL.....mg.....	5
B12.....mcg.....	1		

Minerals

CALCIUM.....mg.....	78	COPPER.....mcg.....	23
PHOSPHORUS.....mg.....	54	IODINE.....mcg.....	82
MAGNESIUM.....mg.....	11	SELENIUM.....mcg.....	4
IRON.....mg.....	1	SODIUM.....mg.....	34
ZINC.....mg.....	1	POTASSIUM.....mg.....	105
MANGANESE.....mcg.....	37	CHLORIDE.....mg.....	75

INGREDIENTS: Demineralised Whey Powder, Whole Milk Powder, Vegetable Oils (Corn Oil, Rapeseed Oil, Coconut Oil, Sunflowerseed Oil), Galactooligosaccharides†, Minerals (Tricalcium Diphosphate, Potassium Chloride, Trisodium Citrate, Calcium Carbonate, Magnesium Chloride, Sodium Chloride, Magnesium Sulphate, Zinc Sulphate, Ferrous Sulphate, Sodium Selenite, Copper Sulphate, Manganese(II) Sulphate, Potassium Iodate), Soy Lecithin, L-Carnitine Tartrate, Vitamins (DL-alpha-Tocopheryl Acetate, Retinyl Acetate, Niacinamide, Calcium-D-Pantothenate, Cholecalciferol, Biotin, Phytonadione, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Cyanocobalamin, Folic Acid, Riboflavin), Maltodextrin, Choline Chloride, Lactose, Vitamin C, Nucleotides (Cytidine-5'-Monophosphate, Disodium Guanosine-5'-Monophosphate, Disodium Uridine-5'-Monophosphate, deinosine-5'-Monophosphate), Inositol, DHA*, ARA**.

†GALATOOIGOSACCHARIDES ARE PREBIOTICS SOURCED FROM MILK (GOS)

*DOCOSAHEXAENOIC ACID (DHA)

**ARACHIDONIC ACID (ARA)

PRODUCT FORMS


Description	Unit Size	Cal. /Unit	Prod. Yield Unit (fl oz)	Case
INFANT GROW Infant Formula Milk Powder	860 grams 30.33 oz can 1.84 lb	4,000	200	12 cans Per Case
INFANT GROW Infant Formula Milk Powder Bulk Tote	453,600 grams 1,000 lb 453.6 kg			1 Bulk Tote per Pallate

PREPARATION OF FEEDINGS

The baby's health depends on carefully following these instructions. Use only as directed by a medical professional. Proper hygiene, preparation, dilution, use and storage are important when preparing infant formula. Powdered infant formulas are not sterile and should not be fed to premature infants or infants who might have immune problems unless directed and supervised by a doctor.


Discuss with parents whether they need to use cooled, boiled water for mixing and whether they need to boil clean utensils, bottles and nipples in water before use.

1




Wash hands thoroughly with soap and water before preparing formula.

2



Pour the desired amount of water into the bottle. Add powder.

3



Cap bottle and shake well.

Use the following chart for correct amounts of water and powder. Use scoop in can to measure powder. Store DRY scoop in its original can:

To Make	Water	Powder	Weight
2 fl oz	2 fl oz	1 Packed Level Scoop	8.6 g
4 fl oz	4 fl oz	2 Packed Level Scoop	17.2 g
6 fl oz	6 fl oz	3 Packed Level Scoop	25.8 g
8 fl oz	8 fl oz	4 Packed Level Scoop	34.4 g
1 quart	28.5 fl oz	1 Packed Level Household Measuring Cup	122.55 g

CAUTION: Use product by the date on the container. Nutritional powders are not sterile.

WARNING: Do not use a microwave oven to prepare or warm formula. Serious burns may result. This product is not recommended for routine use in very low-birth-weight infants. Some of these infants may be at increased risk of developing gastrointestinal complications. Use with directions from the baby's physician.

Failure to follow these instructions could result in severe harm. Once prepared, infant formula can spoil quickly. Either feed immediately or cover and store in refrigerator at 35°–40°F (2°– 4°C) for no longer than 24 hours. Do not use prepared formula if it is unrefrigerated for more than a total of 2 hours. Do not freeze prepared formula. After feeding begins, use within 1 hour or discard. Powder Storage (cans) Store cans at room temperature. After opening can, keep tightly covered, store in dry area and use contents within 1 month. Do not freeze powder, and avoid excessive heat. Use by date on bottom of can. Shake well before feeding.

PRODUCT NUTRITION INFORMATION

Nutrients	Per 100 Calories	Per 100g
Serving (g)	19.5	100
Calories (Kcal)	100	512
Protein (g)	2	12
Carbohydrates (g)	11	56
Galactooligosaccharides (mg)	193	989
Fat (g)	5	26
Linoleic Acid (mg)	1004	5145
Alpha-Linolenic Acid (mg)	106	541
Arachidonic Acid (ARA) (mg)	4	20
Docosahexaenoic acid (DHA) (mg)	4	20
Nucleotides (mg)	10	50
Vitamins		
Vitamin A (IU)	516	2645
Vitamin D (IU)	70	356
Vitamin E (IU)	3	15
Vitamin K (mcg)	13	67
Thiamin (Vitamin B1) (mcg)	130	664
Riboflavin (Vitamin B2) (mcg)	278	1425
Vitamin B6 (mcg)	84	432
Vitamin B12 (mcg)	1	4
Niacin (mcg)	898	4601
Folic Acid (mcg)	25	131
Pantothenic Acid (mcg)	884	4527
Biotin (mcg)	5	28
Vitamin C (mg)	12	60
Choline (mg)	31	158
Inositol (mg)	5	26
Minerals		
Calcium (mg)	78	398
Phosphorus (mg)	54	276
Magnesium (mg)	11	55
Iron (mg)	1	5
Zinc (mg)	1	5
Manganese (mcg)	37	192
Copper (mcg)	81	414
Iodine (mcg)	23	117
Selenium (mcg)	4	19
Sodium (mg)	34	172
Potassium (mg)	105	540
Chloride (mg)	75	385

INGREDIENTS: Demineralised Whey Powder, Whole Milk Powder, Vegetable Oils (Corn Oil, Rapeseed Oil, Coconut Oil, Sunflowerseed Oil), Galactooligosaccharides[‡], Minerals (Tricalcium Diphosphate, Potassium Chloride, Trisodium Citrate, Calcium Carbonate, Magnesium Chloride, Sodium Chloride, Magnesium Sulphate, Zinc Sulphate, Ferrous Sulphate, Sodium Selenite, Copper Sulphate, Manganese(II) Sulphate, Potassium Iodate), Soy Lecithin, L-Carnitine Tartrate, Vitamins (DL-alpha-Tocopheryl Acetate, Retinyl Acetate, Niacinamide, Calcium-D-Pantothenate, Cholecalciferol, Biotin, Phytonadione, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Cyanocobalamin, Folic Acid, Riboflavin), Maltodextrin, Choline Chloride, Lactose, Vitamin C, Nucleotides (Cytidine-5'-Monophosphate, Disodium Guanosine-5'-Monophosphate, Disodium Uridine-5'-Monophosphate, deanosine-5'-Monophosphate), Inositol, DHA*, ARA**.

[‡]GALATOOLIGOSACCHARIDES ARE PREBIOTICS SOURCED FROM MILK (GOS)

*DOCOSAHEXAENOIC ACID (DHA)

**ARACHIDONIC ACID (ARA)

Potential Allergens

Infant Formula Milk Powder